enjoy
your
moment

GUSTO 8

Engineered for reliability

Necta

Gusto 8.
Engineered for reliability

The combination of maximum efficiency and flexibility.

Distinctive product attributes

Attractive user experience

- Wide range of products available thanks to the possibility of configuring up to 7 trays, with provisions for Visio-Shop trays that allow for up to 10 selections.
- LED lighting to highlights the product within the glass and the possibility to deliver any kind of product.

Driving profitability cutting TCO

- Quickly adapt the layout to suit any product mix, with the option to expand capacity using dedicated accessories.
- Easy to switch from a Combi machine to a full Can & Bottle solution with a fast machine update, to satisfy the need of water and drinks during the warmer period.

Gusto wide values

Sustainability excellence

- Class C energy label (according to IEC EN) achieved through excellent thermal insulation and use of high-efficiency R290 natural gas.
- Designed also with bio-circular plastics parts, up to 60% recyclable components and 100% recyclable packaging easy to be disposed.

Full solution with guaranteed performances

- High-performance cooling unit ensuring the best quality under demanding environmental conditions as 35°C / 65% of humidity.
- Banked with a Necta Barista coffee machine allows a complete experience with the full digital services proposition (two-way telemetry services such as TeleVend and AmiClo).

enjoy your moment

Technical data & dimensions



- 230-240 V
- 50 Hz
- 230 W
- Configuration: Twin, base stand
- Refrigerant Gas = R290
- Noise level < 70dB
- Temperatures from 0° to 12°
- Category: 2, 3

Specification

- (W x D x H) 900 x 793 x 1830 mm
- Number of trays: max 7
- Product selection till 56
- Product capacity till 453
- Layout:
  - 100% food
  - 100% CB
  - 100% snack
  - 50% CB + 50% snack
  - 50% food + 50% snack
  - 50% food + 50% CB
  - Snack + food + CB (3T)
  - Ambient version

Product carbon footprint scorecard

Carbon footprint

- Per annum: 318 kgCO2eq
- Cradle to cradle: 6,364 kgCO2eq



For more information about Sustainability at Evoca

Energy efficiency C rated



Necta

EVOCA S.p.A.
Via Roma, 24 | 24030 Valbrembo (BG), Italia | Ph. +39 035 606 111
necta.evocagroup.com

Evoca Spa reserves the right to change product specifications according to a constantly evolving design policy